# Keeping the workplace safe

# Encourage your employees to...

#### **Practice good hygiene**



- Stop handshaking use other noncontact methods of greeting
- Clean hands at the door and schedule regular hand washing reminders by email
- Create habits and reminders to avoid touching their faces and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

#### Be careful with meetings and travel



- Use videoconferencing for meetings when possible
- When not possible, hold meetings in open, well-ventilated spaces
- Consider adjusting or postponing large meetings or gatherings
- Assess the risks of business travel

#### Handle food carefully



- Limit food sharing
- Strengthen health screening for cafeteria staff and their close contacts
- Ensure cafeteria staff and their close contacts practice strict hygiene

#### Stay home if...



- They are feeling sick
- They have a sick family member in their home

### Keeping the school safe

### Encourage your faculty, staff, and students to...

#### **Practice good hygiene**



- Stop handshaking use other noncontact methods of greeting
- Clean hands at the door and at regular intervals
- Create habits and reminders to avoid touching their faces and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

#### **Consider rearranging large activities and gatherings**



- Consider adjusting or postponing gatherings that mix between classes and grades
- Adjust after-school arrangements to avoid mixing between classes and grades
- When possible, hold classes outdoors or in open, well-ventilated spaces

### Handle food carefully



- Limit food sharing
- Strengthen health screening for cafeteria staff and their close contacts
- Ensure cafeteria staff and their close contacts practice strict hygiene

#### Stay home if...



- They are feeling sick
- They have a sick family member in their home

### Keeping the home safe

# Encourage your family members to...

#### All households



- Clean hands at the door and at regular intervals
- Create habits and reminders to avoid touching their face and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

#### Households with vulnerable seniors or those with significant underlying conditions



Significant underlying conditions include heart, lung, kidney disease; diabetes; and conditions that suppress the immune system

- Have the healthy people in the household conduct themselves as if they were a significant risk to the
  person with underlying conditions. For example, wash hands frequently before interacting with the
  person, such as by feeding or caring for the person
- If possible, provide a protected space for vulnerable household members
- Ensure all utensils and surfaces are cleaned regularly

#### Households with sick family members



- Give sick members their own room if possible, and keep the door closed
- Have only one family member care for them
- Consider providing additional protections or more intensive care for household members over 65 years old or with underlying conditions

## Keeping commercial establishments safe

Encourage your employees and customers to...

#### Practice good hygiene



- Stop handshaking use other noncontact methods of greeting
- Clean hands at the door, and schedule regular hand washing reminders by email
- Promote tap and pay to limit handling of cash
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

#### **Avoid crowding**



- Use booking and scheduling to stagger customer flow
- Use online transactions where possible
- Consider limiting attendance at larger gatherings

#### For transportation businesses, taxis, and ride shares



- Keep windows open when possible
- Increase ventilation
- Regularly disinfect surfaces